; 1







1077 Northern Binulevard Roslyn, New York 11576 (516) 365-9802 FAX (516) 365-9805

RECEIVED

GENTRAL FAX CENTER

JUN 1 7 2004

OFFICIAL

FACSIMILE TRANSMISSION

DATE

June 17, 2004

NO. OF PAGES INCLUDING COVER PAGE:

14

TO:

Examiner Mark A. Williams

Group: 3676

FAX NO.:

703-872-9326

FROM:

Frederick J. Dorchak - COLLARD & ROE, P.C.

Reg. No. 29,298

RE:

U.S. Serial No. 10/059,034

Applicant: Barry Libes (Our Reference: LIBES 1)

If you do not receive all of the pages, please call the above phone number as soon as possible.

MESSAGE:

Enclosed is an Amendment in Response to Second Non-Final Office Action dated March 25, 2004

Please confirm receipt by facsimile at your earliest convenience. Thank you.

Sincerely yours,

COLLARD & ROE, P

Frederick

Reg. No. 29,298

FJD:jc Enclosures

This message is intended only for the use of the addressee, and may countin material which is privileged and confidential. If you are not the intended recipient, dissemination of this communication is strictly prohibited. If you have received this transmission in error, pleuse actifully immediately by telephone. Thank you

PAGE 1/14 * RCVD AT 6/17/2004 11:59:58 AM [Eastern Daylight Time] * SVR:USPTO-EFXRF-1/0 * DNIS:8729326 * CSID:15163659805 * DURATION (mm-ss):03-26

RECEIVED GENTRAL FAX CENTER

JUN 1 7 2004

OFFICIAL

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT:

BARRY LIBES - 1

SERIAL NO.:

10/059.034

EXAMINER:

MARK A. WILLIAMS

FILED:

JANUARY 29, 2002 CROUP:

3676

ጥተጥሁይ:

UNIVERSAL JAMB BRACKET FOR A DOOR CLOSING SYSTEM

AMENDMENT IN RESPONSE TO SECOND NON-FINAL OFFICE ACTION

MAIL STOP AMENDMENTS

Hon. Commissioner of Palents

P.O. Box 1450

Alexandria, VA 22313-1450

Dear Sir:

In response to the second non-final Office Action dated March 25, 2004, please amond the above-identified patent application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 9 of this paper.

R TO GRANLILLE CONTINUE 201 YES